



Worldspan World FilesSM Quick Reference

Display	HELP G*	Redisplay	HELP G*R
Level 1	G*	Previous	G*R
Level 1 by line type	G*≠RA	Specific Level	G*R3
Level 1 bridge	G*/B7A	Specific line type	G*RA
Level 2	G**XYZ	Multiple line types	G*RA/O
Level 2 by line type	G**XYZ≠RO	Level and line type	G*R2/A
Level 2 by qualifier	G**XYZ≠RQH	All levels/line types	G*RALL
Level 2 index	G**≠ALL	Specific line number	G*R610
Level 2 index by letter	G**≠ALL≠P	Line numbers	G*R10/01
Level 2 bridged index	G*/B7A*≠ALL	Range of line numbers	G*R301-400
Level 2 or 3 from an index	G*38/2	Specific line to end	G*R301-
Level 3	G*-SMITH	All line types including suppressed	G*R01-
Level 3 index	G**XYZ≠ALL		
Level 3 index by letter	G**XYZ≠ALL≠J	Range and specific line number	G*R01-50/200
Level 3 bridged index	G*/B7A*XYZ≠ALL		
Level 3 by line type	G*-SMITH≠RA	Specific qualifier	G*RQC
Level 3 by qualifier	G*-SMITH≠RQC	Level and qualifier	G*R3/QH
Level 3 only	G*-SMITH≠R3	Qualifiers and line types	G*RQC-TW/A/O
Level 3 associated to Level 2	G*-SMITH*XYZ	Index beginning line 1	G*1
Level 3 index from Level 2 index	G*12/3≠ALL	Similar reference list	G*L
Level 2 or 3 from similar list	G*2	More references	G*0
World Files – Ownership			HELP GPO
Display Level 2 list owned by SID F9H		GPO/F9H	
Display home office ownership information and affiliated branch owner information		GPO≠ALL	
Starting with the letter A		GPO≠ALL≠A	
Show World Files			HELP G*S
Display and show:			
Level 2 only		G*-DOE≠S2	
Level 3 only		G*-DOE≠S3	
Specific line type		G*-DOE≠SO	
Specific qualifier		G*-DOE≠SQUA	
Line numbers		G*-DOE≠S320-325	
Level 3 from Level 2 index		G*38/2≠S3	
Redisplay and show:			
Level 2 only		G*S2	
Level 3 only		G*S3	
Specific line type		G*SA	
Specific qualifiers		G*SQUA-TW	
Line numbers		G*S301-310/400-	
All levels/line types		G*SALL	

Copy		HELP G*C	
All A lines		G*C	
All A and specific O/I lines		G*C/315/316	
All A lines and specific qualifier		G*C/QTW	
Specific line numbers		G*C1/3	
Specific qualifier		G*CQNW	
Multiple qualifiers		G*CQTW-DL	
Range of line numbers		G*C2-6	
All A lines plus a PNR entry not stored		G*C≠3OSIUA TCP2W/HILL	
All A, specific O, and I lines with inserts		G*C/1\$KIM/610\$10FEB	
All A lines and multiple inserts		G*C/601\$27JUL/\$NN1	
All A lines except (X)		G*C≠X9/112/723	
A lines plus qualifier with inserts		G*C/QCD\$ATTN JOE	
Copy Error Processing		INFO COPYGDE	
If an error response is received to:		Enter:	
Continue copy process		G*CC	
Stop copy process and display World Files		G*IC	
Stop copy process and ignore World Files		G*I	
Blind Copy		HELP G*C	
To Blind Copy:	Level 1:	Level 2:	Level 3:
All A lines	G*≠C	G**XYZ≠C	G*-DOE*XYZ≠C
All A and specific O lines	G*≠C/2/6	G**XYZ≠C/8/310	G*-DOE*XYZ≠C/3/411/613
Specific O lines	G*≠C4	G**XYZ≠C419	G*-DOE*XYZ≠C625
All A and specific O lines with insert data	G*≠C/1\$DEAN	G**XYZ≠C/315\$DL	G*-DOE*XYZ≠C/608\$NW
Specific qualifier	G*≠CQCM	G**XYZ≠CQAX	G*-DOE*XYZ≠CQP
All A lines except	G*≠C≠X115	G**XYZ≠C≠X321	G*-DOE*XYZ≠C≠X26
Bridged location	G*/B7A≠C	G*/B7A*XYZ≠C	G*/B7A-DOE*XYZ≠C
Qualifier with insert	--	G**XYZ≠CQCD\$ATTN JOE	--
Clone		HELP WFCLONE	
Entire World Files(clones to the same level)		GPI≠ROBERTS	
From similar name list (clones to the same level)		G*2≠PI≠XYZ SALES	
Specific line types (clones to the same level)		GPI/A/N≠THOMAS	
To bridged location and include specific qualifiers		GPI//B7A/QC-H≠HILL	
Level 2 to a Level 3		GPI≠-JOHNSON*XYZ	
New Level 3 to a different Level 2		GPI≠-JONES*BOND	
Level 3 to a Level 2		GPI≠*SUNSHINE	
Blind Clone		HELP WFCLONE	
	Level 2:	Level 3:	
Entire World Files	G*GUILFORD≠PI≠*LIBRA	G*-DOE≠PI≠SMITH	
From similar name list with line type	G*5≠PI/A/O≠CHRISTMAS	G*6≠PI/A/O≠-JONES	
Specific line types	G*GUILFORD≠PI/A/O≠PALOMINO	G*-ROBERTS≠PI/A/O≠JONES	
Specific qualifiers	G*GUILFORD≠PI/QTW-CB≠*FIESTA	G*-THOMAS≠PI/QDL≠-HILL	
From a bridged location	G*/B7A*COOKIE≠PI/A/S/QTW-DL≠*BAKER	G*/B7A-DOE≠PI/QNW≠-HALL*XYZ	
To a bridged location	G**CNN≠PI//B7A≠*TBT	G*-DOE≠PI//B7A/QTW/A≠-SMITH*XYZ	

Create		HELP GPC/	Modify	HELP GPC
Level 1	GPC		Level 1	G*≠PC
Level 2	GPC/*XYZ		Level 2	G**XYZ≠PC
Level 3	GPC/-DOE*XYZ		Level 3	G*-DOE*GM≠PC
Level 3 at a bridged location	GPC/A2Z-DOE*XYZ		Level 2 or 3 from index	G*14/3≠PC
Level 3 from PNR	GC/-DOE*XYZ		Displayed World Files	GPC
End/Ignore and Redisplay		HELP G*E		HELP G*I
		End/Redisplay:		Ignore/Redisplay:
End and redisplay/Ignore and redisplay		G*E		G*I
Previous World Files		G*ER		G*IR
Specific Level and line type		G*ER2/O		G*IR2/O
With specific qualifier and blind copy all A lines		G*ERQAA G*ER≠C		G*IRQAA G*IR≠C
Blind copy all A lines and specific O/I lines		G*ER≠C/15/308/645		G*IR≠C/15/308/645
Blind copy all A lines and specific qualifier		G*ER≠C/QCD		G*IR≠C/QCD
Blind copy lines with specific qualifier		G*ER≠CQH		G*IR≠CQH
Blind copy all A lines, specify qualifier, end transaction		G*ER≠C/QAA≠E		G*IR≠C/QAA≠E
Place in modify mode		G*ER≠PC		G*IR≠PC
All levels and "show" only Level 3		G*ER≠S3 or G*ES3		G*IR≠S3 or G*IS3
Miscellaneous Entries		HELP WF		
			Enter:	
Display beginning			G*RBEG	
Display end of World Files			G*REND	
Display first available blank or unassigned line			G*B	
Display specific blank line			G*B725	
Ignore errors on screen			G*IE	
Request Overnight Maintenance			GPMAINT	
Cancel Overnight Maintenance			GPMAINT-CAN	
Display Maintenance history			GPHO	
Display history			GPH	
Display a Level 2 history			G**XYZ≠PH	
Delete World Files			GPDELETE	
Restore Level 2			GPR*XYZ	
Restore Level 3			GPR-DOE*XYZ	
Display pending changes			GPDISPLAY	
Move displayed Level 3			GPM*XYZ SALES	
Insert and /Move Lines		HELP GI/		
After line 605 and move line 610			GI/605M610	
After line 700 and move lines 610 and 612			GI/700M610/612	
After line 301 and move lines 350 through 375			GI/301M350-375	
After line 601 and move line610 and lines 725 through 735			GI/601M620/725-735	

Queue World Files		HELP Q98
Displayed World Files		QEG
with 2 line message (64 characters maximum per line)		QEG↓ Message <Enter>
with option		QEG≠PC
with option and 2 line message (64 characters maximum per line)		QEG≠PC↓ Line 1 message↓ Line 2 message <Enter>
Queue displayed index		QEGL
To bridged/branched location		QEG/A2Z
From index		G*38/2≠QEG
From similar reference list		G*4≠QEG
Display queue count		QCG
Queue count (bridged)		QCG/B7A
Access queue		QG
Ignore to bottom of queue		QEGI
Remove from queue		QRG
Exit and ignore		QX≠QEGI
Exit and remove		QX≠QRG
Print and ignore		QTGI
Print and remove		QTG
Blind Queue World Files		HELP Q98
	Level 2:	Level 3:
Blind queue World Files	G**XYZ≠QEG	G*-DOE≠QEG
with option and 2 line message (64 characters maximum per line)	G*GUILFORD≠QEG≠PC↓ Line 1 message↓ Line 2 message <Enter>	
To bridged location	G**XYZ≠QEG/B7A	G*-DOE≠QEG/B7A
From bridged location	G*/B7A*FORUM≠QEG	G*/B7A-DOE≠QEG
From bridged location to another bridged location	G*/N2A*GM≠QEG/A2Z	G*/N2A-DOE≠QEG/A2Z
All Level 3's attached to specific Level 2	G**CHRISTENSEN≠QEGL	--
Level 2 index	G**XYZ≠ALL≠QEGL	--

↓ - Carriage return